WALL-HUNG VANITY RANGE

Flux Nuvolite

Flux redefines modern minimalism with clean lines and a sleek silhouette. Featuring deep drawers paired with an open bottom shelf, it offers both practical storage and a spacious, airy feel. Designed for contemporary living, Flux blends functionality with visual lightness, perfect for bathrooms that embrace simplicity and style.

5 widths
600 to 1500mm

12 models
Centre, offset and double basin

455 deep
540 high with benchtop



THE RANGE

Cabinet sizes in millimetres, width × depth × height

Model	Product code	Cabinet	Drawers	Waste position	Page
600mm Centre basin	**FLX-600-NUV-CB**	595 × 455 × 520	1	Centred	2
750mm Centre basin	**FLX-750-NUV-CB**	745 × 455 × 520	1	Centred	3
900mm Centre basin	**FLX-900-NUV-CB**	895 × 455 × 520	1	Centred	4
900mm Left offset basin	**FLX-900-NUV-LB**	895 × 455 × 520	1	268 from the left end	5
900mm Right offset basin	**FLX-900-NUV-RB**	895 × 455 × 520	1	268 from the right end	6
1200mm Centre basin	**FLX-1200-NUV-CB**	1195 × 455 × 520	1	Centred	7
1200mm Left offset basin	**FLX-1200-NUV-LB**	1195 × 455 × 520	1	268 from the left end	8
1200mm Right offset basin	**FLX-1200-NUV-RB**	1195 × 455 × 520	1	268 from the right end	9
1200mm Double basin	**FLX-1200-NUV-DB**	1195 × 455 × 520	2	303 from each end	10
1500mm Left offset basin	**FLX-1500-NUV-LB**	1495 × 455 × 520	2	397 from the left end	11
1500mm Right offset basin	**FLX-1500-NUV-RB**	1495 × 455 × 520	2	397 from the right end	12
1500mm Double basin	**FLX-1500-NUV-DB**	1495 × 455 × 520	2	397 from each end	13

COMMON TO EVERY MODEL

Cabinet Wall-hung, 455mm deep and 520mm high. A 272mm deep drawer over a 200mm open shelf, with a 114mm plumbing cut-out in the drawer.

Benchtop Nuvolite acrylic top, matte white, 20mm thick and 462mm deep. 10mm wider than the cabinet.

Basins Round 360, gloss white (CB-R360-GW) or matte white (CB-R360-MW). Fluted, matte white (SC-B-MW). Double basin vanities take two basins and two waste plugs.

Waste plugs No overflow (CB-W32NOF) in Chrome, Gun Metal, Brushed Nickel, Brushed Gold, Matte Black or Matte White.

Handles Handleless, finished to match the vanity colour. Aluminium rail accent in Brushed Brass, Satin Silver, Matte Black or Matte White. Tab pull handle in six colours, with a full height drawer front that sits flush with the benchtop.

Lighting and power LED Under Glow (LED-UG): rebated LED strip with a warm glow (3000K), strip and transformer both IP67 rated. Integrated Power (V-PPUSB): 1x USB-C, 1x USB-A and 2x standard sockets, fitted inside the drawer. 900 to 1500mm vanities can take two.

FINISHES

Standard

Blush Oak **BLO**
Morning Mist **MMIS**
Super Satin Black **SSBLK**
Super Satin White **SSWHI**
Super Satin Sage **SAGE**
Gloss White **GWH**
Charred Oak Textured **CHO**
Black Linen Textured **BLKLN**
White Linen Textured **WHILN**
Chestnut **CHNT**
Espresso Oak **EOAK**
Nordic Oak **NOAK**

PREMIUM WOOD VENEERS

Cinder Oak **CNOAK**
Golden Oak **GDOAK**
Midnight Rewood **MNRWD**
Sandrift Oak **SDOAK**
Walnut Horizon **WLHZ**

Flux Nuvolite specifications. *All dimensions in millimetres. Our vanities are made to order, so please check site measurements before ordering.*

orders@gopropel.co.nz | 0800 427 335

WALL-HUNG VANITY

600mm Centre basin

FLX-600-NUV-CB


Cabinet	**595 wide × 455 deep × 520 high**
Nuvolite benchtop	**605 × 462 × 20 thick** NL-605462-W
Height with benchtop	**540**
Storage	**One drawer (272 high front) over a 200 high open shelf**
Waste position	**Centred**
Plumbing	**114 wide cut-out, 77 clear behind the drawer**



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view




Waste centreline
Hidden detail
Nuvolite benchtop
Top channel
Open shelf

Scale 1:10 on A4

Front view



Side view



Drawings show the handleless version. The aluminium rail accent sits in the same top channel. With the tab pull handle, the drawer front runs full height and sits flush with the benchtop.

Nominal width 600mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the drawer, on the left-hand side.

WALL-HUNG VANITY

750mm Centre basin

FLX-750-NUV-CB


Cabinet	**745 wide × 455 deep × 520 high**
Nuvolite benchtop	**755 × 462 × 20 thick** NL-755462-W
Height with benchtop	**540**
Storage	**One drawer (272 high front) over a 200 high open shelf**
Waste position	**Centred**
Plumbing	**114 wide cut-out, 77 clear behind the drawer**




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view






Scale 1:10 on A4

Front view



Side view



Drawings show the handleless version. The aluminium rail accent sits in the same top channel. With the tab pull handle, the drawer front runs full height and sits flush with the benchtop.

Nominal width 750mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the drawer, on the left-hand side.

WALL-HUNG VANITY

900mm Centre basin

FLX-900-NUV-CB


Cabinet	**895 wide × 455 deep × 520 high**
Nuvolite benchtop	**905 × 462 × 20 thick** NL-905462-W
Height with benchtop	**540**
Storage	**One drawer (272 high front) over a 200 high open shelf**
Waste position	**Centred**
Plumbing	**114 wide cut-out, 77 clear behind the drawer**



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view




Waste centreline
Hidden detail
Nuvolite benchtop
Top channel
Open shelf

Scale 1:10 on A4

Front view



Side view



Drawings show the handleless version. The aluminium rail accent sits in the same top channel. With the tab pull handle, the drawer front runs full height and sits flush with the benchtop.

Nominal width 900mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

900mm Left offset basin

FLX-900-NUV-LB


Cabinet	895 wide × 455 deep × 520 high
Nuvolite benchtop	905 × 462 × 20 thick NL-905462-W
Height with benchtop	540
Storage	One drawer (272 high front) over a 200 high open shelf
Waste position	268 from the left end, 180 from the centre
Plumbing	114 wide cut-out, 77 clear behind the drawer



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view




Waste centreline
Hidden detail
Nuvolite benchtop
Top channel
Open shelf

Scale 1:10 on A4

Front view



Side view



Drawings show the handleless version. The aluminium rail accent sits in the same top channel. With the tab pull handle, the drawer front runs full height and sits flush with the benchtop.

Nominal width 900mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

900mm Right offset basin

FLX-900-NUV-RB


Cabinet	**895 wide × 455 deep × 520 high**
Nuvolite benchtop	**905 × 462 × 20 thick** NL-905462-W
Height with benchtop	**540**
Storage	**One drawer (272 high front) over a 200 high open shelf**
Waste position	**268 from the right end, 180 from the centre**
Plumbing	**114 wide cut-out, 77 clear behind the drawer**




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view



Front view



Side view



Drawings show the handleless version. The aluminium rail accent sits in the same top channel. With the tab pull handle, the drawer front runs full height and sits flush with the benchtop.

Nominal width 900mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

1200mm Centre basin

FLX-1200-NUV-CB


Cabinet	**1195 wide × 455 deep × 520 high**
Nuvolite benchtop	**1205 × 462 × 20 thick** NL-1205462-W
Height with benchtop	**540**
Storage	**One drawer (272 high front) over a 200 high open shelf**
Waste position	**Centred**
Plumbing	**114 wide cut-out, 77 clear behind the drawer**




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view



Front view



Side view



Drawings show the handleless version. The aluminium rail accent sits in the same top channel. With the tab pull handle, the drawer front runs full height and sits flush with the benchtop.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

1200mm Left offset basin

FLX-1200-NUV-LB


Cabinet	**1195 wide × 455 deep × 520 high**
Nuvolite benchtop	**1205 × 462 × 20 thick** NL-1205462-W
Height with benchtop	**540**
Storage	**One drawer (272 high front) over a 200 high open shelf**
Waste position	**268 from the left end**
Plumbing	**114 wide cut-out, 77 clear behind the drawer**




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view



Front view



Side view



Drawings show the handleless version. The aluminium rail accent sits in the same top channel. With the tab pull handle, the drawer front runs full height and sits flush with the benchtop.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

1200mm Right offset basin

FLX-1200-NUV-RB


Cabinet	**1195 wide × 455 deep × 520 high**
Nuvolite benchtop	**1205 × 462 × 20 thick** NL-1205462-W
Height with benchtop	**540**
Storage	**One drawer (272 high front) over a 200 high open shelf**
Waste position	**268 from the right end**
Plumbing	**114 wide cut-out, 77 clear behind the drawer**




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view



Front view



Side view



Drawings show the handleless version. The aluminium rail accent sits in the same top channel. With the tab pull handle, the drawer front runs full height and sits flush with the benchtop.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

1200mm Double basin

FLX-1200-NUV-DB


Cabinet	1195 wide × 455 deep × 520 high
Nuvolite benchtop	1205 × 462 × 20 thick NL-1205462-W
Height with benchtop	540
Storage	Two drawers (272 high front) over a 200 high open shelf
Waste position	303 from each end
Plumbing	114 wide cut-out, 77 clear behind the drawer




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view



Front view



Side view



Drawings show the handleless version. The aluminium rail accent sits in the same top channel. With the tab pull handle, the drawer front runs full height and sits flush with the benchtop.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the right drawer.

WALL-HUNG VANITY

1500mm Left offset basin

FLX-1500-NUV-LB


Cabinet	1495 wide × 455 deep × 520 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	540
Storage	Two drawers (272 high front) over a 200 high open shelf
Waste position	397 from the left end
Plumbing	114 wide cut-out, 77 clear behind the drawer




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view



Front view



Side view



Drawings show the handleless version. The aluminium rail accent sits in the same top channel. With the tab pull handle, the drawer front runs full height and sits flush with the benchtop.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the right drawer.

WALL-HUNG VANITY

1500mm Right offset basin

FLX-1500-NUV-RB


Cabinet	1495 wide × 455 deep × 520 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	540
Storage	Two drawers (272 high front) over a 200 high open shelf
Waste position	397 from the right end
Plumbing	114 wide cut-out, 77 clear behind the drawer




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view



Front view



Side view



Drawings show the handleless version. The aluminium rail accent sits in the same top channel. With the tab pull handle, the drawer front runs full height and sits flush with the benchtop.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the right drawer.

WALL-HUNG VANITY

1500mm Double basin

FLX-1500-NUV-DB


Cabinet	1495 wide × 455 deep × 520 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	540
Storage	Two drawers (272 high front) over a 200 high open shelf
Waste position	397 from each end
Plumbing	114 wide cut-out, 77 clear behind the drawer




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view



Front view



Side view



Drawings show the handleless version. The aluminium rail accent sits in the same top channel. With the tab pull handle, the drawer front runs full height and sits flush with the benchtop.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the right drawer.