WALL-HUNG VANITY RANGE

Full Moon Nuvolite

Meet the Full Moon range, available in 2 and 4 drawer models with deep storage and picture-framed cabinetry fronts featuring refined negative detailing. Two precisely aligned handles complete a perfect full moon, creating a sculptural focal point. Crafted for daily ease and enduring style, Full Moon brings balanced, celestial elegance to contemporary bathrooms.

5 widths
600 to 1500mm

12 models
Centre, offset and double basin

455 deep
550 high with benchtop



THE RANGE

Cabinet sizes in millimetres, width × depth × height

Model	Product code	Cabinet	Drawers	Waste position	Page
600mm Centre basin	**FUL-600-NUV-CB**	595 × 455 × 530	2	Centred	2
750mm Centre basin	**FUL-750-NUV-CB**	745 × 455 × 530	2	Centred	3
900mm Centre basin	**FUL-900-NUV-CB**	895 × 455 × 530	2	Centred	4
900mm Left offset basin	**FUL-900-NUV-LB**	895 × 455 × 530	2	268 from the left end	5
900mm Right offset basin	**FUL-900-NUV-RB**	895 × 455 × 530	2	268 from the right end	6
1200mm Centre basin	**FUL-1200-NUV-CB**	1195 × 455 × 530	2	Centred	7
1200mm Left offset basin	**FUL-1200-NUV-LB**	1195 × 455 × 530	4	304 from the left end	8
1200mm Right offset basin	**FUL-1200-NUV-RB**	1195 × 455 × 530	4	304 from the right end	9
1200mm Double basin	**FUL-1200-NUV-DB**	1195 × 455 × 530	4	304 from each end	10
1500mm Left offset basin	**FUL-1500-NUV-LB**	1495 × 455 × 530	4	398 from the left end	11
1500mm Right offset basin	**FUL-1500-NUV-RB**	1495 × 455 × 530	4	398 from the right end	12
1500mm Double basin	**FUL-1500-NUV-DB**	1495 × 455 × 530	4	398 from each end	13

COMMON TO EVERY MODEL

Cabinet Wall-hung, 455mm deep and 530mm high. Picture-framed fronts, two drawers high, each front 243mm. The top drawer has a 114mm plumbing cut-out with 59mm clear behind the drawers.

Benchtop Nuvolite acrylic top, matte white, 20mm thick and 462mm deep. 10mm wider than the cabinet.

Basins Round 360, gloss white (CB-R360-GW) or matte white (CB-R360-MW). Fluted, matte white (SC-B-MW). Double basin vanities take two basins and two waste plugs.

Waste plugs No overflow (CB-W32NOF) in Chrome, Gun Metal, Brushed Nickel, Brushed Gold, Matte Black or Matte White.

Handles Full moon handles: each drawer carries a half moon, and the two halves meet at the join to make a full circle. Satin Brass, Brushed Anthracite, Brushed Copper, Brushed Nickel, Matte White or Matte Black (7301-64).

Lighting and power LED Under Glow (LED-UG): rebated LED strip with a warm glow (3000K), strip and transformer both IP67 rated. Integrated Power (V-PPUSB): 1x USB-C, 1x USB-A and 2x standard sockets, fitted to the bottom drawer. 900 to 1500mm vanities can take two.

FINISHES

Standard

Blush Oak **BLO**
Morning Mist **MMIS**
Super Satin Black **SSBLK**
Super Satin White **SSWHI**
Super Satin Sage **SAGE**
Gloss White **GWH**
Charred Oak Textured **CHO**
Black Linen Textured **BLKLN**
White Linen Textured **WHILN**
Chestnut **CHNT**
Espresso Oak **EOAK**
Nordic Oak **NOAK**

PREMIUM WOOD VENEERS

Cinder Oak **CNOAK**
Golden Oak **GDOAK**
Midnight Rewood **MNRWD**
Sandrift Oak **SDOAK**
Walnut Horizon **WLHZ**

Veneer codes end in 6090 for 600 to 900mm vanities and 1215 for 1200 and 1500mm, for example CNOAK-6090.

WALL-HUNG VANITY

600mm Centre basin

FUL-600-NUV-CB


Cabinet	595 wide × 455 deep × 530 high
Nuvolite benchtop	605 × 462 × 20 thick NL-605462-W
Height with benchtop	550
Storage	Two drawers, one above the other (243 high fronts)
Waste position	Centred
Plumbing	114 wide cut-out in the top drawer, 59 clear behind



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)




Waste centreline
Hidden detail
Nuvolite benchtop
Cabinet frame
Full moon handle

Scale 1:10 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each drawer carries half of a full moon handle, so the halves meet at the join.

Nominal width 600mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side.

WALL-HUNG VANITY

750mm Centre basin

FUL-750-NUV-CB


Cabinet	745 wide × 455 deep × 530 high
Nuvolite benchtop	755 × 462 × 20 thick NL-755462-W
Height with benchtop	550
Storage	Two drawers, one above the other (243 high fronts)
Waste position	Centred
Plumbing	114 wide cut-out in the top drawer, 59 clear behind



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)




Waste centreline
Hidden detail
Nuvolite benchtop
Cabinet frame
Full moon handle

Scale 1:10 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each drawer carries half of a full moon handle, so the halves meet at the join.

Nominal width 750mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side.

WALL-HUNG VANITY

900mm Centre basin

FUL-900-NUV-CB


Cabinet	895 wide × 455 deep × 530 high
Nuvolite benchtop	905 × 462 × 20 thick NL-905462-W
Height with benchtop	550
Storage	Two drawers, one above the other (243 high fronts)
Waste position	Centred
Plumbing	114 wide cut-out in the top drawer, 59 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)






Scale 1:10 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each drawer carries half of a full moon handle, so the halves meet at the join.

Nominal width 900mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

900mm Left offset basin

FUL-900-NUV-LB


Cabinet	895 wide × 455 deep × 530 high
Nuvolite benchtop	905 × 462 × 20 thick NL-905462-W
Height with benchtop	550
Storage	Two drawers, one above the other (243 high fronts)
Waste position	268 from the left end, 180 from the centre
Plumbing	114 wide cut-out in the top drawer, 59 clear behind



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)




Waste centreline
Hidden detail
Nuvolite benchtop
Cabinet frame
Full moon handle

Scale 1:10 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each drawer carries half of a full moon handle, so the halves meet at the join.

Nominal width 900mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

900mm Right offset basin

FUL-900-NUV-RB


Cabinet	895 wide × 455 deep × 530 high
Nuvolite benchtop	905 × 462 × 20 thick NL-905462-W
Height with benchtop	550
Storage	Two drawers, one above the other (243 high fronts)
Waste position	268 from the right end, 180 from the centre
Plumbing	114 wide cut-out in the top drawer, 59 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)






Scale 1:10 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each drawer carries half of a full moon handle, so the halves meet at the join.

Nominal width 900mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

1200mm Centre basin

FUL-1200-NUV-CB


Cabinet	1195 wide × 455 deep × 530 high
Nuvolite benchtop	1205 × 462 × 20 thick NL-1205462-W
Height with benchtop	550
Storage	Two drawers, one above the other (243 high fronts)
Waste position	Centred
Plumbing	114 wide cut-out in the top drawer, 59 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)






Scale 1:12 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each drawer carries half of a full moon handle, so the halves meet at the join.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

1200mm Left offset basin

FUL-1200-NUV-LB


Cabinet	1195 wide × 455 deep × 530 high
Nuvolite benchtop	1205 × 462 × 20 thick NL-1205462-W
Height with benchtop	550
Storage	Four drawers, two across and two high (243 high fronts)
Waste position	304 from the left end, 294 from the centre
Plumbing	114 wide cut-out in the top drawer, 59 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)






Scale 1:12 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each drawer carries half of a full moon handle, so the halves meet at the join.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY

1200mm Right offset basin

FUL-1200-NUV-RB


Cabinet	1195 wide × 455 deep × 530 high
Nuvolite benchtop	1205 × 462 × 20 thick NL-1205462-W
Height with benchtop	550
Storage	Four drawers, two across and two high (243 high fronts)
Waste position	304 from the right end, 294 from the centre
Plumbing	114 wide cut-out in the top drawer, 59 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each drawer carries half of a full moon handle, so the halves meet at the join.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY

1200mm Double basin

FUL-1200-NUV-DB


Cabinet	1195 wide × 455 deep × 530 high
Nuvolite benchtop	1205 × 462 × 20 thick NL-1205462-W
Height with benchtop	550
Storage	Four drawers, two across and two high (243 high fronts)
Waste position	304 from each end, 294 from the centre
Plumbing	114 wide cut-out in the top drawer, 59 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)






Scale 1:12 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each drawer carries half of a full moon handle, so the halves meet at the join.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY

1500mm Left offset basin

FUL-1500-NUV-LB


Cabinet	1495 wide × 455 deep × 530 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	550
Storage	Four drawers, two across and two high (243 high fronts)
Waste position	398 from the left end, 350 from the centre
Plumbing	114 wide cut-out in the top drawer, 59 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each drawer carries half of a full moon handle, so the halves meet at the join.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY

1500mm Right offset basin

FUL-1500-NUV-RB


Cabinet	1495 wide × 455 deep × 530 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	550
Storage	Four drawers, two across and two high (243 high fronts)
Waste position	398 from the right end, 350 from the centre
Plumbing	114 wide cut-out in the top drawer, 59 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each drawer carries half of a full moon handle, so the halves meet at the join.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY

1500mm Double basin

FUL-1500-NUV-DB


Cabinet	1495 wide × 455 deep × 530 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	550
Storage	Four drawers, two across and two high (243 high fronts)
Waste position	398 from each end, 350 from the centre
Plumbing	114 wide cut-out in the top drawer, 59 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each drawer carries half of a full moon handle, so the halves meet at the join.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.