WALL-HUNG VANITY RANGE

Lume Nuvolite

Meet the Lume range, a versatile vanity available in 2 and 4 drawer configurations, designed to adapt to your space and style. With customisable shelving options, Lume offers flexible storage without compromising on aesthetics. Its clean lines and thoughtful layout deliver a harmonious blend of practicality and modern elegance for any bathroom.

4 widths
750 to 1500mm

12 models
Centre, offset and double basin

455 deep
580 high with benchtop



THE RANGE

Cabinet sizes in millimetres, width × depth × height

Model	Product code	Cabinet	Drawers	Waste position	Page
750mm Centre basin, left shelf	LUM-750-NUV-CB-LS	745 × 455 × 560	2	254 from the right end	2
750mm Centre basin, right shelf	LUM-750-NUV-CB-RS	745 × 455 × 560	2	254 from the left end	3
900mm Centre basin, left shelf	LUM-900-NUV-CB-LS	895 × 455 × 560	2	329 from the right end	4
900mm Centre basin, right shelf	LUM-900-NUV-CB-RS	895 × 455 × 560	2	329 from the left end	5
1200mm Centre basin, left shelf	LUM-1200-NUV-CB-LS	1195 × 455 × 560	2	717 from the left end	6
1200mm Centre basin, right shelf	LUM-1200-NUV-CB-RS	1195 × 455 × 560	2	479 from the left end	7
1200mm Double basin, centre shelf	LUM-1200-NUV-DB-CS	1195 × 455 × 560	4	244 from each end	8
1200mm Left offset basin, right shelf	LUM-1200-NUV-LB-RS	1195 × 455 × 560	2	250 from the left end	9
1200mm Right offset basin, left shelf	LUM-1200-NUV-RB-LS	1195 × 455 × 560	2	250 from the right end	10
1500mm Double basin, centre shelf	LUM-1500-NUV-DB-CS	1495 × 455 × 560	4	319 from each end	11
1500mm Left offset basin, right shelf	LUM-1500-NUV-LB-RS	1495 × 455 × 560	4	319 from the left end	12
1500mm Right offset basin, left shelf	LUM-1500-NUV-RB-LS	1495 × 455 × 560	4	319 from the right end	13

COMMON TO EVERY MODEL

Cabinet Wall-hung, 455mm deep and 560mm high. Drawers two high with 231mm fronts, beside a 220mm open shelf with two 253mm high cubbies, on the left, on the right or in the centre. The top drawer has a 114mm plumbing cut-out, with 77mm clear behind the drawers.

Benchtop Nuvolite acrylic top, matte white, 20mm thick and 462mm deep. 10mm wider than the cabinet.

Basins Round 360, gloss white (CB-R360-GW) or matte white (CB-R360-MW). Fluted, matte white (SC-B-MW). Double basin vanities take two basins and two waste plugs.

Waste plugs No overflow (CB-W32NOF) in Chrome, Gun Metal, Brushed Nickel, Brushed Gold, Matte Black or Matte White.

Handles Handleless, finished to match the vanity colour. Aluminium rail accent in Brushed Brass, Satin Silver, Matte Black or Matte White. Tab pull handle in six colours, with taller drawer fronts.

Lighting and power LED Under Glow (LED-UG): rebated LED strip with a warm glow (3000K), strip and transformer both IP67 rated. Integrated Power (V-PPUSB): 1x USB-C, 1x USB-A and 2x standard sockets, fitted to the bottom drawer. 900 to 1500mm vanities can take two.

FINISHES

Standard

Blush Oak **BLO**
Morning Mist **MMIS**
Super Satin Black **SSBLK**
Super Satin White **SSWHI**
Super Satin Sage **SAGE**
Gloss White **GWH**
Charred Oak Textured **CHO**
Black Linen Textured **BLKLN**
White Linen Textured **WHILN**
Chestnut **CHNT**
Espresso Oak **EOAK**
Nordic Oak **NOAK**

PREMIUM WOOD VENEERS

Cinder Oak **CNOAK**
Golden Oak **GDOAK**
Midnight Rewood **MNRWD**
Sandrift Oak **SDOAK**
Walnut Horizon **WLHZ**

Veneer codes end in 6090 for 600 to 900mm vanities and 1215 for 1200 and 1500mm, for example CNOAK-6090.

WALL-HUNG VANITY | LEFT SHELF

750mm Centre basin

LUM-750-NUV-CB-LS


Cabinet	745 wide × 455 deep × 560 high
Nuvolite benchtop	755 × 462 × 20 thick NL-755462-W
Height with benchtop	580
Drawers	Two, one above the other, 231 high fronts
Open shelf	Left, 220 wide with two 253 high cubbies
Waste position	254 from the right end, 119 from the centre
Plumbing	114 wide cut-out in the top drawer, 77 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)






Scale 1:12 on A4

Front view



Side view



Drawings show the handleless version, with a finger pull channel above each drawer. The aluminium rail accent sits in the same channels. With the tab pull handle the drawer fronts are taller and close up the channels.

Nominal width 750mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front. Left and right are as you face the vanity.

Integrated power is fitted at the back of the bottom drawer, at its left-hand end.

WALL-HUNG VANITY | RIGHT SHELF

750mm Centre basin

LUM-750-NUV-CB-RS


Cabinet	745 wide × 455 deep × 560 high
Nuvolite benchtop	755 × 462 × 20 thick NL-755462-W
Height with benchtop	580
Drawers	Two, one above the other, 231 high fronts
Open shelf	Right, 220 wide with two 253 high cubbies
Waste position	254 from the left end, 119 from the centre
Plumbing	114 wide cut-out in the top drawer, 77 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)






Scale 1:12 on A4

Front view



Side view



Drawings show the handleless version, with a finger pull channel above each drawer. The aluminium rail accent sits in the same channels. With the tab pull handle the drawer fronts are taller and close up the channels.

Nominal width 750mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front. Left and right are as you face the vanity.

Integrated power is fitted at the back of the bottom drawer, at its left-hand end.

WALL-HUNG VANITY | LEFT SHELF

900mm Centre basin

LUM-900-NUV-CB-LS


Cabinet	895 wide × 455 deep × 560 high
Nuvolite benchtop	905 × 462 × 20 thick NL-905462-W
Height with benchtop	580
Drawers	Two, one above the other, 231 high fronts
Open shelf	Left, 220 wide with two 253 high cubbies
Waste position	329 from the right end, 119 from the centre
Plumbing	114 wide cut-out in the top drawer, 77 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)






Scale 1:12 on A4

Front view



Side view



Drawings show the handleless version, with a finger pull channel above each drawer. The aluminium rail accent sits in the same channels. With the tab pull handle the drawer fronts are taller and close up the channels.

Nominal width 900mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front. Left and right are as you face the vanity.

Integrated power is fitted at the back of the bottom drawer, at its left-hand end. A second outlet can be added at its right-hand end.

WALL-HUNG VANITY | RIGHT SHELF

900mm Centre basin

LUM-900-NUV-CB-RS


Cabinet	895 wide × 455 deep × 560 high
Nuvolite benchtop	905 × 462 × 20 thick NL-905462-W
Height with benchtop	580
Drawers	Two, one above the other, 231 high fronts
Open shelf	Right, 220 wide with two 253 high cubbies
Waste position	329 from the left end, 119 from the centre
Plumbing	114 wide cut-out in the top drawer, 77 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)






Scale 1:12 on A4

Front view



Side view



Drawings show the handleless version, with a finger pull channel above each drawer. The aluminium rail accent sits in the same channels. With the tab pull handle the drawer fronts are taller and close up the channels.

Nominal width 900mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front. Left and right are as you face the vanity.

Integrated power is fitted at the back of the bottom drawer, at its left-hand end. A second outlet can be added at its right-hand end.

WALL-HUNG VANITY | LEFT SHELF

1200mm Centre basin

LUM-1200-NUV-CB-LS


Cabinet	1195 wide × 455 deep × 560 high
Nuvolite benchtop	1205 × 462 × 20 thick NL-1205462-W
Height with benchtop	580
Drawers	Two, one above the other, 231 high fronts
Open shelf	Left, 220 wide with two 253 high cubbies
Waste position	717 from the left end, 119 from the centre
Plumbing	114 wide cut-out in the top drawer, 77 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



Drawings show the handleless version, with a finger pull channel above each drawer. The aluminium rail accent sits in the same channels. With the tab pull handle the drawer fronts are taller and close up the channels.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front. Left and right are as you face the vanity.

Integrated power is fitted at the back of the bottom drawer, at its left-hand end. A second outlet can be added at its right-hand end.

WALL-HUNG VANITY | RIGHT SHELF

1200mm Centre basin

LUM-1200-NUV-CB-RS


Cabinet	**1195 wide × 455 deep × 560 high**
Nuvolite benchtop	**1205 × 462 × 20 thick** NL-1205462-W
Height with benchtop	**580**
Drawers	**Two, one above the other, 231 high fronts**
Open shelf	**Right, 220 wide with two 253 high cubbies**
Waste position	**479 from the left end, 119 from the centre**
Plumbing	**114 wide cut-out in the top drawer, 77 clear behind**



TECHNICAL DRAWINGS


All dimensions in millimetres

Drawer down view (top drawer)



Front view

Side view



Drawings show the handleless version, with a finger pull channel above each drawer. The aluminium rail accent sits in the same channels. With the tab pull handle the drawer fronts are taller and close up the channels.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front. Left and right are as you face the vanity.

Integrated power is fitted at the back of the bottom drawer, at its left-hand end. A second outlet can be added at its right-hand end.

WALL-HUNG VANITY | CENTRE SHELF

1200mm Double basin

LUM-1200-NUV-DB-CS


Cabinet	1195 wide × 455 deep × 560 high
Nuvolite benchtop	1205 × 462 × 20 thick NL-1205462-W
Height with benchtop	580
Drawers	Four, two each side of the shelf, 231 high fronts
Open shelf	Centre, 220 wide with two 253 high cubbies
Waste position	244 from each end, 354 from the centre
Plumbing	114 wide cut-out in the top drawer, 77 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



Drawings show the handleless version, with a finger pull channel above each drawer. The aluminium rail accent sits in the same channels. With the tab pull handle the drawer fronts are taller and close up the channels.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front. Left and right are as you face the vanity.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY | RIGHT SHELF

1200mm Left offset basin

LUM-1200-NUV-LB-RS


Cabinet	1195 wide × 455 deep × 560 high
Nuvolite benchtop	1205 × 462 × 20 thick NL-1205462-W
Height with benchtop	580
Drawers	Two, one above the other, 231 high fronts
Open shelf	Right, 220 wide with two 253 high cubbies
Waste position	250 from the left end, 348 from the centre
Plumbing	114 wide cut-out in the top drawer, 77 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



Drawings show the handleless version, with a finger pull channel above each drawer. The aluminium rail accent sits in the same channels. With the tab pull handle the drawer fronts are taller and close up the channels.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front. Left and right are as you face the vanity.

Integrated power is fitted at the back of the bottom drawer, at its left-hand end. A second outlet can be added at its right-hand end.

WALL-HUNG VANITY | LEFT SHELF

1200mm Right offset basin

LUM-1200-NUV-RB-LS


Cabinet	1195 wide × 455 deep × 560 high
Nuvolite benchtop	1205 × 462 × 20 thick NL-1205462-W
Height with benchtop	580
Drawers	Two, one above the other, 231 high fronts
Open shelf	Left, 220 wide with two 253 high cubbies
Waste position	250 from the right end, 348 from the centre
Plumbing	114 wide cut-out in the top drawer, 77 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



Drawings show the handleless version, with a finger pull channel above each drawer. The aluminium rail accent sits in the same channels. With the tab pull handle the drawer fronts are taller and close up the channels.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front. Left and right are as you face the vanity.

Integrated power is fitted at the back of the bottom drawer, at its left-hand end. A second outlet can be added at its right-hand end.

WALL-HUNG VANITY | CENTRE SHELF

1500mm Double basin

LUM-1500-NUV-DB-CS


Cabinet	1495 wide × 455 deep × 560 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	580
Drawers	Four, two each side of the shelf, 231 high fronts
Open shelf	Centre, 220 wide with two 253 high cubbies
Waste position	319 from each end, 429 from the centre
Plumbing	114 wide cut-out in the top drawer, 77 clear behind



TECHNICAL DRAWINGS


All dimensions in millimetres

Drawer down view (top drawer)



Front view

Side view



Drawings show the handleless version, with a finger pull channel above each drawer. The aluminium rail accent sits in the same channels. With the tab pull handle the drawer fronts are taller and close up the channels.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front. Left and right are as you face the vanity.


Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY | RIGHT SHELF

1500mm Left offset basin

LUM-1500-NUV-LB-RS


Cabinet	1495 wide × 455 deep × 560 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	580
Drawers	Four, two across and two high, 231 high fronts
Open shelf	Right, 220 wide with two 253 high cubbies
Waste position	319 from the left end, 429 from the centre
Plumbing	114 wide cut-out in the top drawer, 77 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



Drawings show the handleless version, with a finger pull channel above each drawer. The aluminium rail accent sits in the same channels. With the tab pull handle the drawer fronts are taller and close up the channels.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front. Left and right are as you face the vanity.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY | LEFT SHELF

1500mm Right offset basin

LUM-1500-NUV-RB-LS


Cabinet	1495 wide × 455 deep × 560 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	580
Drawers	Four, two across and two high, 231 high fronts
Open shelf	Left, 220 wide with two 253 high cubbies
Waste position	319 from the right end, 429 from the centre
Plumbing	114 wide cut-out in the top drawer, 77 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



Drawings show the handleless version, with a finger pull channel above each drawer. The aluminium rail accent sits in the same channels. With the tab pull handle the drawer fronts are taller and close up the channels.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front. Left and right are as you face the vanity.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.