WALL-HUNG VANITY RANGE

Nara Nuvolite

Nara is a true standout, blending classic shaker charm with a sleek, modern twist. Available in 2 and 4 drawer models, it offers generous storage wrapped in elegant craftsmanship. The refined negative detailing enhances its clean lines, while the shaker panels bring warmth and character to any bathroom. Timeless, yet refreshingly contemporary.



5 widths
600 to 1500mm

11 models
Centre, offset and double basin

455 deep
540 high with benchtop

THE RANGE

Cabinet sizes in millimetres, width × depth × height

Model	Product code	Cabinet	Drawers	Waste position	Page
600mm Centre basin	**NAR-600-NUV-CB**	595 × 455 × 520	2	Centred	2
750mm Centre basin	**NAR-750-NUV-CB**	745 × 455 × 520	2	Centred	3
900mm Centre basin	**NAR-900-NUV-CB**	895 × 455 × 520	2	Centred	4
900mm Left offset basin	**NAR-900-NUV-LB**	895 × 455 × 520	2	268 from the left end	5
900mm Right offset basin	**NAR-900-NUV-RB**	895 × 455 × 520	2	268 from the right end	6
1200mm Double basin	**NAR-1200-NUV-DB**	1195 × 455 × 520	4	303 from each end	7
1200mm Left offset basin	**NAR-1200-NUV-LB**	1195 × 455 × 520	4	303 from the left end	8
1200mm Right offset basin	**NAR-1200-NUV-RB**	1195 × 455 × 520	4	303 from the right end	9
1500mm Double basin	**NAR-1500-NUV-DB**	1495 × 455 × 520	4	378 from each end	10
1500mm Left offset basin	**NAR-1500-NUV-LB**	1495 × 455 × 520	4	378 from the left end	11
1500mm Right offset basin	**NAR-1500-NUV-RB**	1495 × 455 × 520	4	378 from the right end	12

COMMON TO EVERY MODEL

Cabinet Wall-hung, 455mm deep and 520mm high. Shaker style picture-framed fronts, two drawers high, each front 228mm. The top drawer has a 114mm plumbing cut-out with 61mm clear behind the drawers.

Benchtop Nuvolite acrylic top, matte white, 20mm thick and 462mm deep. 10mm wider than the cabinet.

Basins Round 360, gloss white (CB-R360-GW) or matte white (CB-R360-MW). Fluted, matte white (SC-B-MW). Double basin vanities take two basins and two waste plugs.

Waste plugs No overflow (CB-W32NOF) in Chrome, Gun Metal, Brushed Nickel, Brushed Gold, Matte Black or Matte White.

Handles Tab pull handle at the top centre of each drawer front, in Brushed Gold, Gun Metal, Light Oak, Matte White, Matte Black or Brushed Nickel (1PK-SC-HND).

Lighting and power LED Under Glow (LED-UG): rebated LED strip with a warm glow (3000K), strip and transformer both IP67 rated. Integrated Power (V-PPUSB): 1x USB-C, 1x USB-A and 2x standard sockets, fitted to the bottom drawer. 900 to 1500mm vanities can take two.

FINISHES

Standard

Blush Oak **BLO**
Morning Mist **MMIS**
Super Satin Black **SSBLK**
Super Satin White **SSWHI**
Super Satin Sage **SAGE**
Gloss White **GWH**
Charred Oak Textured **CHO**
Black Linen Textured **BLKLN**
White Linen Textured **WHILN**
Chestnut **CHNT**
Espresso Oak **EOAK**
Nordic Oak **NOAK**

PREMIUM WOOD VENEERS

Cinder Oak **CNOAK**
Golden Oak **GDOAK**
Midnight Rewood **MNRWD**
Sandrift Oak **SDOAK**
Walnut Horizon **WLHZ**

Veneer codes end in 6090 for 600 to 900mm vanities and 1215 for 1200 and 1500mm, for example CNOAK-6090.

WALL-HUNG VANITY

600mm Centre basin

NAR-600-NUV-CB


Cabinet	**595 wide × 455 deep × 520 high**
Nuvolite benchtop	**605 × 462 × 20 thick** NL-605462-W
Height with benchtop	**540**
Storage	**Two drawers, one above the other (228 high fronts)**
Waste position	**Centred**
Plumbing	**114 wide cut-out in the top drawer, 61 clear behind**



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)




Waste centreline
Hidden detail
Nuvolite benchtop
Cabinet frame
Tab pull handle

Scale 1:10 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each picture-framed front has a tab pull handle at its top centre.

Nominal width 600mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side.

WALL-HUNG VANITY

750mm Centre basin

NAR-750-NUV-CB


Cabinet	**745 wide × 455 deep × 520 high**
Nuvolite benchtop	**755 × 462 × 20 thick** NL-755462-W
Height with benchtop	**540**
Storage	**Two drawers, one above the other (228 high fronts)**
Waste position	**Centred**
Plumbing	**114 wide cut-out in the top drawer, 61 clear behind**



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)




Waste centreline
Hidden detail
Nuvolite benchtop
Cabinet frame
Tab pull handle

Scale 1:10 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each picture-framed front has a tab pull handle at its top centre.

Nominal width 750mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side.

WALL-HUNG VANITY

900mm Centre basin

NAR-900-NUV-CB


Cabinet	895 wide × 455 deep × 520 high
Nuvolite benchtop	905 × 462 × 20 thick NL-905462-W
Height with benchtop	540
Storage	Two drawers, one above the other (228 high fronts)
Waste position	Centred
Plumbing	114 wide cut-out in the top drawer, 61 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)






Scale 1:10 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each picture-framed front has a tab pull handle at its top centre.

Nominal width 900mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

900mm Left offset basin

NAR-900-NUV-LB


Cabinet	895 wide × 455 deep × 520 high
Nuvolite benchtop	905 × 462 × 20 thick NL-905462-W
Height with benchtop	540
Storage	Two drawers, one above the other (228 high fronts)
Waste position	268 from the left end, 180 from the centre
Plumbing	114 wide cut-out in the top drawer, 61 clear behind



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)




Waste centreline
Hidden detail
Nuvolite benchtop
Cabinet frame
Tab pull handle

Scale 1:10 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each picture-framed front has a tab pull handle at its top centre.

Nominal width 900mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

900mm Right offset basin

NAR-900-NUV-RB


Cabinet	895 wide × 455 deep × 520 high
Nuvolite benchtop	905 × 462 × 20 thick NL-905462-W
Height with benchtop	540
Storage	Two drawers, one above the other (228 high fronts)
Waste position	268 from the right end, 180 from the centre
Plumbing	114 wide cut-out in the top drawer, 61 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)






Scale 1:10 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each picture-framed front has a tab pull handle at its top centre.

Nominal width 900mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

1200mm Double basin

NAR-1200-NUV-DB


Cabinet	1195 wide × 455 deep × 520 high
Nuvolite benchtop	1205 × 462 × 20 thick NL-1205462-W
Height with benchtop	540
Storage	Four drawers, two across and two high (228 high fronts)
Waste position	303 from each end, 294 from the centre
Plumbing	114 wide cut-out in the top drawer, 61 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each picture-framed front has a tab pull handle at its top centre.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY

1200mm Left offset basin

NAR-1200-NUV-LB


Cabinet	1195 wide × 455 deep × 520 high
Nuvolite benchtop	1205 × 462 × 20 thick NL-1205462-W
Height with benchtop	540
Storage	Four drawers, two across and two high (228 high fronts)
Waste position	303 from the left end, 294 from the centre
Plumbing	114 wide cut-out in the top drawer, 61 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each picture-framed front has a tab pull handle at its top centre.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY

1200mm Right offset basin

NAR-1200-NUV-RB


Cabinet	1195 wide × 455 deep × 520 high
Nuvolite benchtop	1205 × 462 × 20 thick NL-1205462-W
Height with benchtop	540
Storage	Four drawers, two across and two high (228 high fronts)
Waste position	303 from the right end, 294 from the centre
Plumbing	114 wide cut-out in the top drawer, 61 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each picture-framed front has a tab pull handle at its top centre.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY

1500mm Double basin

NAR-1500-NUV-DB


Cabinet	1495 wide × 455 deep × 520 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	540
Storage	Four drawers, two across and two high (228 high fronts)
Waste position	378 from each end, 369 from the centre
Plumbing	114 wide cut-out in the top drawer, 61 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each picture-framed front has a tab pull handle at its top centre.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY

1500mm Left offset basin

NAR-1500-NUV-LB


Cabinet	1495 wide × 455 deep × 520 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	540
Storage	Four drawers, two across and two high (228 high fronts)
Waste position	378 from the left end, 369 from the centre
Plumbing	114 wide cut-out in the top drawer, 61 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each picture-framed front has a tab pull handle at its top centre.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY

1500mm Right offset basin

NAR-1500-NUV-RB


Cabinet	1495 wide × 455 deep × 520 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	540
Storage	Four drawers, two across and two high (228 high fronts)
Waste position	378 from the right end, 369 from the centre
Plumbing	114 wide cut-out in the top drawer, 61 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. Each picture-framed front has a tab pull handle at its top centre.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.