WALL-HUNG VANITY RANGE

Vexa Nuvolite

Vexa is where smart design meets seamless style. Available in 2 and 4 drawer models, its inlay drawers allow for snug corner placement, perfect for maximising space without compromising aesthetics. With generous storage and a clean, modern profile, Vexa offers flexibility and visual appeal for bathrooms that demand both form and function.

5 widths
600 to 1500mm

12 models
Centre, offset and double basin

455 deep
580 high with benchtop



THE RANGE

Cabinet sizes in millimetres, width × depth × height

Model	Product code	Cabinet	Drawers	Waste position	Page
600mm Centre basin	VEX-600-NUV-CB	595 × 455 × 560	2	Centred	2
750mm Centre basin	VEX-750-NUV-CB	745 × 455 × 560	2	Centred	3
900mm Centre basin	VEX-900-NUV-CB	895 × 455 × 560	2	Centred	4
900mm Left offset basin	VEX-900-NUV-LB	895 × 455 × 560	2	268 from the left end	5
900mm Right offset basin	VEX-900-NUV-RB	895 × 455 × 560	2	268 from the right end	6
1200mm Centre basin	VEX-1200-NUV-CB	1195 × 455 × 560	2	Centred	7
1200mm Double basin	VEX-1200-NUV-DB	1195 × 455 × 560	2	308 from each end	8
1200mm Left offset basin	VEX-1200-NUV-LB	1195 × 455 × 560	2	268 from the left end	9
1200mm Right offset basin	VEX-1200-NUV-RB	1195 × 455 × 560	2	268 from the right end	10
1500mm Double basin	VEX-1500-NUV-DB	1495 × 455 × 560	4	398 from each end	11
1500mm Left offset basin	VEX-1500-NUV-LB	1495 × 455 × 560	4	398 from the left end	12
1500mm Right offset basin	VEX-1500-NUV-RB	1495 × 455 × 560	4	398 from the right end	13

COMMON TO EVERY MODEL

Cabinet Wall-hung, 455mm deep and 560mm high. Inlay drawer fronts sit between the cabinet sides, two drawers high, each front 277mm with the tab pull handle. The top drawer has a 114mm plumbing cut-out with 79mm clear behind the drawers.

Benchtop Nuvolite acrylic top, matte white, 20mm thick and 462mm deep. 10mm wider than the cabinet.

Basins Round 360, gloss white (CB-R360-GW) or matte white (CB-R360-MW). Fluted, matte white (SC-B-MW). Double basin vanities take two basins and two waste plugs.

Waste plugs No overflow (CB-W32NOF) in Chrome, Gun Metal, Brushed Nickel, Brushed Gold, Matte Black or Matte White.

Handles Tab pull handle, as drawn, in Brushed Gold, Gun Metal, Light Oak, Matte White, Matte Black or Brushed Nickel (1PK-SC-HND). Also available handleless or with the aluminium rail accent in Brushed Brass, Satin Silver, Matte Black or Matte White, which use shorter fronts with finger pull channels.

Lighting and power LED Under Glow (LED-UG): rebated LED strip with a warm glow (3000K), strip and transformer both IP67 rated. Integrated Power (V-PPUSB): 1x USB-C, 1x USB-A and 2x standard sockets, fitted to the bottom drawer. 900 to 1500mm vanities can take two.

FINISHES

Standard

Blush Oak **BLO**
Morning Mist **MMIS**
Super Satin Black **SSBLK**
Super Satin White **SSWHI**
Super Satin Sage **SAGE**
Gloss White **GWH**
Charred Oak Textured **CHO**
Black Linen Textured **BLKLN**
White Linen Textured **WHILN**
Chestnut **CHNT**
Espresso Oak **EOAK**
Nordic Oak **NOAK**

PREMIUM WOOD VENEERS

Cinder Oak **CNOAK**
Golden Oak **GDOAK**
Midnight Rewood **MNRWD**
Sandrift Oak **SDOAK**
Walnut Horizon **WLHZ**

Veneer codes end in 6090 for 600 to 900mm vanities and 1215 for 1200 and 1500mm, for example CNOAK-6090.

Vexa Nuvolite specifications. *All dimensions in millimetres. Our vanities are made to order, so please check site measurements before ordering.*

WALL-HUNG VANITY

600mm Centre basin

VEX-600-NUV-CB


Cabinet	**595 wide × 455 deep × 560 high**
Nuvolite benchtop	**605 × 462 × 20 thick** NL-605462-W
Height with benchtop	**580**
Storage	**Two drawers, one above the other (277 high fronts)**
Waste position	**Centred**
Plumbing	**114 wide cut-out in the top drawer, 79 clear behind**



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)




Waste centreline
Hidden detail
Nuvolite benchtop
Cabinet sides
Tab pull handle

Scale 1:12 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. The inlay drawer fronts sit between the cabinet sides. Drawings show the tab pull handle.

Nominal width 600mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side.

WALL-HUNG VANITY

750mm Centre basin

VEX-750-NUV-CB


Cabinet	**745 wide × 455 deep × 560 high**
Nuvolite benchtop	**755 × 462 × 20 thick** NL-755462-W
Height with benchtop	**580**
Storage	**Two drawers, one above the other (277 high fronts)**
Waste position	**Centred**
Plumbing	**114 wide cut-out in the top drawer, 79 clear behind**



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)




Waste centreline
Hidden detail
Nuvolite benchtop
Cabinet sides
Tab pull handle

Scale 1:12 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. The inlay drawer fronts sit between the cabinet sides. Drawings show the tab pull handle.

Nominal width 750mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side.

WALL-HUNG VANITY

900mm Centre basin

VEX-900-NUV-CB


Cabinet	895 wide × 455 deep × 560 high
Nuvolite benchtop	905 × 462 × 20 thick NL-905462-W
Height with benchtop	580
Storage	Two drawers, one above the other (277 high fronts)
Waste position	Centred
Plumbing	114 wide cut-out in the top drawer, 79 clear behind



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)




Waste centreline
Hidden detail
Nuvolite benchtop
Cabinet sides
Tab pull handle

Scale 1:12 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. The inlay drawer fronts sit between the cabinet sides. Drawings show the tab pull handle.

Nominal width 900mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

900mm Left offset basin

VEX-900-NUV-LB


Cabinet	895 wide × 455 deep × 560 high
Nuvolite benchtop	905 × 462 × 20 thick NL-905462-W
Height with benchtop	580
Storage	Two drawers, one above the other (277 high fronts)
Waste position	268 from the left end, 180 from the centre
Plumbing	114 wide cut-out in the top drawer, 79 clear behind



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)




Waste centreline
Hidden detail
Nuvolite benchtop
Cabinet sides
Tab pull handle

Scale 1:12 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. The inlay drawer fronts sit between the cabinet sides. Drawings show the tab pull handle.

Nominal width 900mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

900mm Right offset basin

VEX-900-NUV-RB


Cabinet	895 wide × 455 deep × 560 high
Nuvolite benchtop	905 × 462 × 20 thick NL-905462-W
Height with benchtop	580
Storage	Two drawers, one above the other (277 high fronts)
Waste position	268 from the right end, 180 from the centre
Plumbing	114 wide cut-out in the top drawer, 79 clear behind



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)




Waste centreline
Hidden detail
Nuvolite benchtop
Cabinet sides
Tab pull handle

Scale 1:12 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. The inlay drawer fronts sit between the cabinet sides. Drawings show the tab pull handle.

Nominal width 900mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

1200mm Centre basin

VEX-1200-NUV-CB


Cabinet	**1195 wide × 455 deep × 560 high**
Nuvolite benchtop	**1205 × 462 × 20 thick** NL-1205462-W
Height with benchtop	**580**
Storage	**Two drawers, one above the other (277 high fronts)**
Waste position	**Centred**
Plumbing	**114 wide cut-out in the top drawer, 79 clear behind**



TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)




Waste centreline
Hidden detail
Nuvolite benchtop
Cabinet sides
Tab pull handle

Scale 1:12 on A4

Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. The inlay drawer fronts sit between the cabinet sides. Drawings show the tab pull handle.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

1200mm Double basin

VEX-1200-NUV-DB


Cabinet	1195 wide × 455 deep × 560 high
Nuvolite benchtop	1205 × 462 × 20 thick NL-1205462-W
Height with benchtop	580
Storage	Two drawers, one above the other (277 high fronts)
Waste position	308 from each end, 290 from the centre
Plumbing	114 wide cut-out in the top drawer, 79 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. The inlay drawer fronts sit between the cabinet sides. Drawings show the tab pull handle.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

1200mm Left offset basin

VEX-1200-NUV-LB


Cabinet	**1195 wide × 455 deep × 560 high**
Nuvolite benchtop	**1205 × 462 × 20 thick** NL-1205462-W
Height with benchtop	**580**
Storage	**Two drawers, one above the other (277 high fronts)**
Waste position	**268 from the left end, 330 from the centre**
Plumbing	**114 wide cut-out in the top drawer, 79 clear behind**




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. The inlay drawer fronts sit between the cabinet sides. Drawings show the tab pull handle.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

1200mm Right offset basin

VEX-1200-NUV-RB


Cabinet	**1195 wide × 455 deep × 560 high**
Nuvolite benchtop	**1205 × 462 × 20 thick** NL-1205462-W
Height with benchtop	**580**
Storage	**Two drawers, one above the other (277 high fronts)**
Waste position	**268 from the right end, 330 from the centre**
Plumbing	**114 wide cut-out in the top drawer, 79 clear behind**




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. The inlay drawer fronts sit between the cabinet sides. Drawings show the tab pull handle.

Nominal width 1200mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom drawer, on the left-hand side. A second outlet can be added on the right-hand side.

WALL-HUNG VANITY

1500mm Double basin

VEX-1500-NUV-DB


Cabinet	1495 wide × 455 deep × 560 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	580
Storage	Four drawers, two across and two high (277 high fronts)
Waste position	398 from each end, 350 from the centre
Plumbing	114 wide cut-out in the top drawer, 79 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. The inlay drawer fronts sit between the cabinet sides. Drawings show the tab pull handle.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY

1500mm Left offset basin

VEX-1500-NUV-LB


Cabinet	1495 wide × 455 deep × 560 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	580
Storage	Four drawers, two across and two high (277 high fronts)
Waste position	398 from the left end, 350 from the centre
Plumbing	114 wide cut-out in the top drawer, 79 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. The inlay drawer fronts sit between the cabinet sides. Drawings show the tab pull handle.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.

WALL-HUNG VANITY

1500mm Right offset basin

VEX-1500-NUV-RB


Cabinet	1495 wide × 455 deep × 560 high
Nuvolite benchtop	1505 × 462 × 20 thick NL-1505462-W
Height with benchtop	580
Storage	Four drawers, two across and two high (277 high fronts)
Waste position	398 from the right end, 350 from the centre
Plumbing	114 wide cut-out in the top drawer, 79 clear behind




TECHNICAL DRAWINGS

All dimensions in millimetres


Drawer down view (top drawer)



Front view



Side view



The drawer down view looks down on the top drawer with the benchtop removed. Only the top drawer has the plumbing cut-out. The inlay drawer fronts sit between the cabinet sides. Drawings show the tab pull handle.

Nominal width 1500mm. The Nuvolite benchtop overhangs the cabinet by 5mm each side and 7mm at the front.

Integrated power is fitted at the back of the bottom left drawer, at its left-hand end. A second outlet can be added at the right-hand end of the bottom right drawer.